



**SAFETY DATA SHEET**  
**CANDY DYE AUTOMOTIVE PAINTS**  
**(PROPOSITION 65 STATEMENT)**  
**10/09/15**

Manufacturer or Distributor: **Color Craft, Ltd./Createx Colors**  
**14 Airport Park Road**  
**East Granby, Connecticut 06026**  
**Phone: 800-509-6563**  
**Fax: 1-860-653-0643**

Information Telephone Number: **800-243-2712**

Emergency Telephone Number: **800-243-2712**

For Health Emergencies: **Poison Control Center: 1-888-516-2502**

**SECTION I – PRODUCT IDENTIFICATION**

Product Name: Auto Air candy<sub>2</sub>O

Product Number: Candy Dye Paints

Product Sizes: 4 Oz, 8 Oz, 16 Oz, & 32 Oz

Brand Name: Auto Air candy<sub>2</sub>O

Product Class: Art Material – Consumer Product

**SECTION II – HAZARDS IDENTIFICATION**

Information pertaining to particular dangers for man and environment:

This product has been classified as dangerous according to OSHA Hazard Communication Standard (29 CFR 1910.1200)

Emergency Overview:

Warning! Harmful if swallowed or inhaled. Causes eye irritation. May irritate eyes, nose and throat. Over exposure may cause lung and kidney damage. Contains ingredients which can cause cancer.

Label elements:

Conforms to ASTM D-4236



GHS07



GHS08

Signal Word:

Warning!

Hazard Statement:

Warning! Harmful if swallowed or inhaled. Causes eye irritation. May irritate eyes, nose and throat. Over exposure may cause lung and kidney damage. Contains ingredients which can cause cancer.

Precaution Statement:

Avoid contact with eyes. Do not eat, drink or smoke when using this product. Avoid release to the environment. Not a food. Do not use on food.

Children's Statement:

Keep Out of Reach of Children

Classification of the Product:  
NFPA:

Health 2 -Warning. Maybe harmful if inhaled or swallowed.  
Flammability 0 - Not Combustible  
Reactivity 0 – Stable



**SAFETY DATA SHEET**  
**CANDY DYE AUTOMOTIVE PAINTS**  
**(PROPOSITION 65 STATEMENT)**  
**10/09/15**

HMIS:	Health 2-Moderate Hazard Flammability 0 -Minimal Hazard Physical Hazard 0 - Minimal Hazard
Regulation (EC) No. 1272/2008:	Cobalt compounds are classified in the Annex I of the regulation. Some entries aren't classified.
Export and Import of Dangerous Chemicals Regulation (EC)No. 649/2012:	This product and its ingredients are listed in the Annex I of the regulation.
Directive 67/548/EEC & Directive 1999/45/EC:	Cobalt compound present in the formulation is classified as follows: Cobalt (II) sulfate heptahydra (CAS: 10026-24-1 ) Acute Tox. 4 H302, Skin Sens. 1 H317, Resp. Sens. 1 H334, Muta. 2 H341, Carc. 1B H350, Repr. 1B H360, Aquatic Acute 1 H400, Aquatic Chronic 1 H410, Aquatic Tox. 4 H302.

**SECTION III – COMPOSITION / INFORMATION ON INGREDIENTS**

Substances:	The various products listed under Section 16 contain a variety of Surface Active Agents (Detergents) which are associated with the irritation warning, as well as other non hazardous proprietary ingredients.
Risk and Safety Phrases:	Ingredients are marked according to CLP Regulation (CLP-Regulation (EC) No 1272/2008) and according to DSD (Dangerous Substances Directive (67/548/EEC)) and DPD (Dangerous Preparations Directive (1999/45/EC)) These ingredients are regarded as trade secrets.

**SECTION IV – FIRST AID MEASURES**

Inhalation:	Supply fresh air. If required, provide artificial respiration. Consult with a doctor, physician or qualified health professional if symptoms persist. In case of unconsciousness place patient securely in side position for transportation (if needed).
Skin Contact:	Remove any contaminated clothing. Wash affected area immediately with water and soap and rinse thoroughly.
Eye Contact:	Flush area with water, lifting the upper and lower lids until no evidence of product remains. Get medical attention. Do not wear contact lenses while handling.
Ingestion:	Drink water or milk to dilute. Do not induce vomiting. Contact a physician.

**SECTION V – FIRE FIGHTING MEASURES**

Extinguishing Media:	Water, foam, carbon dioxide or dry chemical equipment.
Fire/Explosion Hazards:	N/A
Flashpoint/Flammability:	Greater than 200 °F / Not Flammable

**SECTION VI – ACCIDENTAL RELEASE MEASURES**

Environmental precautions:	No product should be released to the environment without due care.
Methods and Materials for Containment and Cleaning up:	Contain spill. Recover as much as possible with sand, soil or similar product. Place into closed container and store in a safe location to await disposal. Wash the spill area with soap and water.



**SAFETY DATA SHEET**  
**CANDY DYE AUTOMOTIVE PAINTS**  
**(PROPOSITION 65 STATEMENT)**  
**10/09/15**

**SECTION VII – HANDLING AND STORAGE**

**Safe Handling:** Use under ventilated conditions. Avoid eye contact. For personal protection, we recommend that employees wash thoroughly after handling product. Always wash before eating, smoking or using toilet facilities. Keep container closed when not in use.

**Storage:** Keep the sample in a cool dry ventilated area.

**SECTION VIII - EXPOSURE CONTROLS / PERSONAL PROTECTION**

**Personal Protective Equipment:** Wear safety goggles and protective gloves to avoid dust contact.

**Exposure Limits:** N/A to this mixture.

**Respiratory and Ventilation:** Wear approved NIOSH/MSHA respirator if exposure to mist or vapor exceed applicable PEL/TLV limits. Use in accordance with manufacturer's use limitations and OSHA STANDARD 1910-34. Local ventilation may be used to prevent routine inhalation.

**Skin Protection:** Handle with non-porous nitrile gloves. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Full Contact Material: Nitrile rubber  
Data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an Industrial Hygienist familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

**Eye Protection:** Safety glasses conforming to EN166 Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

**SECTION IX – PHYSICAL AND CHEMICAL PROPERTIES**

**Appearance:** Colored paint

**Physical State:** Liquid

**VOC Content:** 27.7 g/L Regulatory

**Solids percentage:** 17

**Color:** See product list in Section 16

**Odor:** Detergent-like

**Boiling Point:** Not determined

**Freezing Point:** Not determined

**State (pH):** 7.5-8.5

**Specific Gravity:** 1.0 - 2.0



**SAFETY DATA SHEET**  
**CANDY DYE AUTOMOTIVE PAINTS**  
**(PROPOSITION 65 STATEMENT)**  
**10/09/15**

Viscosity:	25 mPas
Flashpoint:	Greater than 200 °F
Vapor Pressure:	Not applicable
Vapor Density:	Not applicable
Solubility in water:	Miscible

**SECTION X – STABILITY AND REACTIVITY**

Reactivity:	Reaction with strong oxidizing agents.
Chemical Stability:	Stable
Conditions to Avoid:	All sources of ignition. Avoid heat.
Incompatible materials:	Strong oxidizing agents, strong acids, strong bases, amines, ammonia, halogenated compounds
Hazardous Decomposition Products:	Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapors.

**SECTION XI – TOXICOLOGICAL INFORMATION**

Health Effects:	Studies have not been performed on this particular mixture. The information below is based on data on the individual ingredients.
Oral:	Expected to be greater than 2,000 mg/kg (rats)
Ingestion:	Nausea, vomiting and abdominal pain.
Inhalation:	This product poses no inhalation risk.
Dermal:	Not a skin sensitizer.
Eye Effects:	Causes eye irritation

**SECTION XII – ECOLOGICAL INFORMATION**

Toxicity:	Very toxic to aquatic organisms.
Aquatic toxicity:	Very toxic to aquatic organisms.
Persistence and degradability:	A mixture of biodegradable and non biodegradable ingredients. No other information is available.
Bio accumulative potential:	Not expected to bioaccumulate significantly.
Mobility in soil:	No information available.
Additional ecological information:	No information available.



**SAFETY DATA SHEET**  
**CANDY DYE AUTOMOTIVE PAINTS**  
**(PROPOSITION 65 STATEMENT)**  
**10/09/15**

**SECTION XIII – DISPOSAL CONSIDERATIONS**

Waste is classified as hazardous waste. Disposal to licensed waste disposal site in accordance with the local Waste Disposal Authority. Contact specialist disposal companies. Dispose of waste and residues in accordance with local authority requirements. Recover and reclaim or recycle, if practical.

**SECTION XIV – TRANSPORTATION INFORMATION**

The following transportation categories do not apply to this mixture sold as a consumer use product (non-bulk).

*DOT Non-Bulk*

Shipping Name:	Not regulated.
Technical Shipping Name:	Not regulated.
Hazard Class:	Not regulated.
UN Number:	Not regulated.
Packing Group:	Not regulated.

*IMDG*

Shipping Name:	Not regulated.
Technical Shipping Name:	Not regulated.
Hazard Class:	Not regulated.
UN Number:	Not regulated.
Packing Group:	Not regulated.
EmS Number:	Not regulated.
Marine Pollutant:	Not regulated.

*ICAO/IATA*

Shipping Name:	Not regulated.
Technical Shipping Name:	Not regulated.
Hazard Class:	Not regulated.
UN Number:	Not regulated.
Packing Group:	Not regulated.
Marine Pollutant:	Not regulated.

This information is not intended to convey all specific regulatory or operational requirements/information relating to this product. It is the responsibility of the transporting organization to follow all applicable laws, regulations and rules relating to the transportation of the materials.

**SECTION XV – REGULATORY INFORMATION**

Safety, health and environmental regulations/legislation specific for the substance or mixture.

SARA: Not applicable

Section 355 (extremely hazardous substances): Not applicable

Section 313 (Specific toxic chemical listing): Not applicable

TSCA (Toxic Substance Control Act): All ingredients are listed.

The Safe Drinking Water and  
Toxic Enforcement Act of 1986 –  
California Proposition 65:

WARNING: Cancer - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

As of September 29, 2015, this product contains listed substances known to the State of California to cause cancer, birth defects or other reproductive harm, at levels which would require a warning under the statute.

Chemicals known to cause cancer: None of the ingredients are listed as of 9/29/2015.



**SAFETY DATA SHEET**  
**CANDY DYE AUTOMOTIVE PAINTS**  
**(PROPOSITION 65 STATEMENT)**  
**10/09/15**

Chemicals known to cause reproductive toxicity for females: None of the ingredients are listed as of 9/29/2015.

Chemicals known to cause reproductive toxicity for males: None of the ingredients are listed as of 9/29/2015.

Chemicals known to cause developmental toxicity: None of the ingredients are listed as of 9/29/2015.

**Carcinogenicity categories**

EPA (Environmental Protection Agency): Not applicable to this mixture.

TLV (Threshold Limit Value established by ACGIH): Not applicable to this mixture.

MAK (German Maximum Workplace Concentration): Not applicable to this mixture.

NOISH-Ca  
(National Institute for Occupational Safety & Health): Not applicable to this mixture.

OSHA-Ca (Occupational Safety & Health Administration): Not applicable to this mixture.

**SECTION XVI – OTHER INFORMATION**

**Product Code**

4651  
4655  
4658  
4659  
4665

**Product Name**

Candy Dye Sunset Magenta  
Candy Dye Marine Blue  
Candy Dye Ultra Violet  
Candy Dye Deep Purple  
Candy Dye Brandywine

Last Revision Date: 10/09/2015

Supersedes MSDS: 9/29/2015

Reason for Issue: GHS Format

Prepared by: Rudolph J. Jaeger, Ph.D., DABT, ERT (UK)  
Chief Toxicologist and President  
ENVIRONMENTAL MEDICINE, INC.  
263 CENTER AVENUE  
WESTWOOD, NJ 07675  
jaegerr@envmed.com  
201-666-7929 x13

The information contained in this Safety Data Sheet was compiled using the latest and most reliable information available to Color Craft Ltd./ Createx Color. The information is provided without any warranty, express or implied regarding its correctness or accuracy nor will Color Craft Ltd./ Createx Color. assume any liability for any loss or damage arising out of the use of this information including without limitation direct or indirect losses or expenses. To the extent permitted by law, no warranty express or implied regarding the product described herein shall be created by or inferred from any state or omission for this SDS. It is solely the responsibility of the user to determine safe conditions for use of this product and to assume liability for any loss, damage or expense whatsoever arising out of the product's improper use.

**H Statements**

- H302 – Harmful if swallowed.
- H317 – May cause an allergic skin reaction.
- H334 – May cause allergy or asthma.
- H334 – May cause allergy or asthma symptoms or breathing difficulties if inhaled.
- H341 – Suspected of causing genetic defects.
- H350 – May cause cancer.
- H360 – May damage fertility or the unborn child.
- H400 – Very toxic to aquatic life.
- H410 – Very toxic to aquatic life with long lasting effects.



**SAFETY DATA SHEET**  
**CANDY DYE AUTOMOTIVE PAINTS**  
**(PROPOSITION 65 STATEMENT)**  
**10/09/15**

**Brand Names**

This SDS applies to the following brand names:

Auto Air candy<sub>2</sub>O  
Candy Dye Paints