

Manufacturer or Distributor: Color Craft, Ltd./Createx Colors

14 Airport Park Road

East Granby, Connecticut 06026

Phone: 800-509-6563 Fax: 1-860-653-0643

Information Telephone Number: 800-243-2712

Emergency Telephone Number: 800-243-2712

For Health Emergencies: Poison Control Center: 1-888-516-2502

#### SECTION I - PRODUCT IDENTIFICATION

Product Name: Auto Air Colors

Product Number: Air-Brush

Product Sizes: NA

Brand Name: Auto Air Colors

Product Class: ART MATERIAL - Consumer Product

## SECTION II - HAZARDS IDENTIFICATION

Information pertaining to particular dangers

for man and environment:

Not a hazardous mixture

**Emergency Overview** 

Non-Hazardous.

Label elements: Conforms to ASTM D-4236

Pictograms: No Pictograms are required for the mixture.

Signal Word: No signal word required.

Hazard Statement: No specific hazard warnings are required.

Precaution Statement: Not hazardous mixture.

Children's Statement: KEEP OUT OF REACH OF CHILDREN

Classification of the Product:

NFPA: Health 0 - Minimal Hazard

Flammability 0 - Not Combustible

Reactivity 0 - Stable

HMIS: Health 0 - Minimal Hazard

Flammability 0 -Minimal Hazard Physical Hazard 0 - Minimal Hazard

Regulation (EC) No. 1272/2008: This mixture is not classified as hazardous.

Export and Import of Dangerous Chemicals

Regulation (EC)No. 649/2012: This mixture is not classified as hazardous.

Directive 67/548/EEC & Directive 1999/45/EC: This mixture is not classified as hazardous.

Page 1 of 9 Auto Air Colors



#### SECTION III - COMPOSITION / INFORMATION ON INGREDIENTS

This mixture is a proprietary not hazardous acrylic based product. Substances:

Ingredients are marked according to CLP Regulation (CLP-Regulation (EC) Risk and Safety Phrases: No 1272/2008) and according to DSD (Dangerous Substances Directive

(67/548/EEC)) and DPD (Dangerous Preparations Directive (1999/45/EC))

These ingredients are regarded as trade secrets.

## **SECTION IV - FIRST AID MEASURES**

Inhalation: If affected, get fresh air.

Skin Contact: Wash affected area thoroughly with plenty of soap and water.

Eye Contact: Carefully flush with water for 15 minutes. If irritation occurs, contact a

physician.

Ingestion: Drink water or milk to dilute. Do not induce vomiting. Contact a physician.

#### SECTION V - FIRE FIGHTING MEASURES

Flammable Summary: Product is not known to be flammable, combustible, pyrophoric or explosive.

Fire/Explosion Hazards: Not combustible. Polymers will not burn. However, dried polymer films are

capable of burning. Material may spatter if temperatures exceed the

Not Flammable

Firefighting Instructions: In case of fire, use normal firefighting equipment and the personal protective

equipment recommended in Section 8 to include NIOSH approved self-

contained breathing apparatus.

Hazardous Combustion Products: Decomposition or combustion of the dry solids may generate irritating

vapors, monomers, hydrocarbons, carbon monoxide and carbon dioxide.

Unusual Fire and Explosion Hazards: None known.

## SECTION VI - ACCIDENTAL RELEASE MEASURES

Environmental precautions: No product should be released to the environment without due care.

Methods and Materials for Containment

and Cleaning up:

Flashpoint:

Contain spill. Recover as much as possible with sand, soil or similar product. Place into closed container and store in a safe location to await

disposal. Wash the spill area with soap and water.

#### SECTION VII – HANDLING AND STORAGE

Safe Handling: Use under ventilated conditions. Avoid eye contact. For personal protection,

we recommend that employees wash thoroughly after handling product. Always wash before eating, smoking or using toilet facilities. Keep container

closed when not in use.

Storage: Keep the sample in a cool dry ventilated area.

Page 2 of 9 **Auto Air Colors** 



## **SECTION VIII - EXPOSURE CONTROLS / PERSONAL PROTECTION**

Personal Protective Equipment: Wear safety goggles and protective gloves to avoid dust contact.

Exposure Limits: N/A to this mixture.

Respiratory and Ventilation: Wear approved NIOSH/MSHA respirator if exposure to mist or vapor

exceed applicable PEL/TLV limits. Use in accordance with manufacturer's use limitations and OSHA STANDARD 1910-34. Local ventilation may be

used to prevent routine inhalation.

Skin Protection: Handle with non-porous nitrile gloves.

Eye Protection: Safety glasses conforming to EN166 Use equipment for eye protection

tested and approved under appropriate government standards such as

NIOSH (US) or EN 166(EU).

## SECTION IX - PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Colored paint

Physical State: Liquid

VOC Content: 27.7 g/L Regulatory

Solids percentage: 17

Color: See product list in Section 16

Odor: Detergent-like

Boiling Point: Not determined

Freezing Point: Not determined

 State (pH):
 7.5-8.5

 Specific Gravity:
 1.0 - 2.0

 Viscosity:
 25 mPas

Flashpoint: Greater than 200 °F

Vapor Pressure: Not applicable
Vapor Density: Not applicable

Solubility in water: Miscible

## **SECTION X – STABILITY AND REACTIVITY**

Reactivity: Not reactive under conditions of normal use.

Chemical Stability: Stable under conditions of normal use.

Conditions to Avoid: All sources of ignition. Avoid heat. Avoid strong oxidizing agents.

Incompatible materials: Strong oxidizing agents, strong acids, strong bases, amines, ammonia,

halogenated compounds

Hazardous Decomposition Products: Thermal decomposition or combustion may liberate carbon oxides and other

toxic gases or vapors.

Page 3 of 9 Auto Air Colors



## SECTION XI - TOXICOLOGICAL INFORMATION

Health Effects: Studies have not been performed on this particular mixture. The information

below is based on data on the individual ingredients.

Oral: Expected to be greater than 2,000 mg/kg (rats)

Ingestion: No effects known in usual and ordinary uses of product.

Inhalation: This product poses no inhalation risk.

Dermal: Not a skin sensitizer.

Eye Effects: Not an eye irritant.

#### SECTION XII - ECOLOGICAL INFORMATION

Toxicity: No information available.

Aquatic toxicity: No information available.

Persistence and degradability: A mixture of biodegradable and non biodegrable ingredients. No other

information is available.

Bio accumulative potential: Not expected to bioaccumulate significantly.

Mobility in soil: No information available.

Additional ecological information: No information available.

## **SECTION XIII - DISPOSAL CONSIDERATIONS**

Waste is classified as hazardous waste. Disposal to licensed waste disposal site in accordance with the local Waste Disposal Authority. Contact specialist disposal companies. Dispose of waste and residues in accordance with local authority requirements. Recover and reclaim or recycle, if practical.

## SECTION XIV - TRANSPORTATION INFORMATION

The following transportation categories do not apply to this mixture sold as a consumer use product (non-bulk).

**DOT Non-Bulk** 

Shipping Name Not regulated.
Technical Shipping Name Not regulated.
Hazard Class Not regulated.
UN Number Not regulated.
Packing Group Not regulated.

IMDG

Shipping Name Not regulated.
Technical Shipping Name Not regulated.
Hazard Class Not regulated.
UN Number Not regulated.
Packing Group Not regulated.
EmS Number Not regulated.
Marine Pollutant Not regulated.

ICAO/IATA

Shipping Name Not regulated.
Technical Shipping Name Not regulated.
Hazard Class Not regulated.

Page 4 of 9 Auto Air Colors



**UN Number** Not regulated. Packing Group Not regulated. Marine Pollutant Not regulated.

This information is not intended to convey all specific regulatory or operational requirements/information relating to this product. It is the responsibility of the transporting organization to follow all applicable laws, regulations and rules relating to the transportation of the materials.

#### SECTION XV - REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture.

SARA: Not applicable

Section 355 (extremely hazardous substances): Not applicable Section 313 (Specific toxic chemical listing): Not applicable

TSCA (Toxic Substance Control Act): All ingredients are listed.

The Safe Drinking Water and Toxic

Enforcement Act of 1986 - California Proposition 65: As of August 3, 2017, this product contains no listed substances known to

the State of California to cause cancer, birth defects or other reproductive

harm, at levels which would require a warning under the statue.

Chemicals known to cause cancer: None of the ingredients are listed as of August 3, 2017.

Chemicals known to cause reproductive

toxicity for females: None of the ingredients are listed as of August 3, 2017.

Chemicals known to cause reproductive

toxicity for males: None of the ingredients are listed as of August 3, 2017.

Chemicals known to cause developmental toxicity: None of the ingredients are listed as of August 3, 2017.

Carcinogenicity categories:

EPA (Environmental Protection Agency): Not applicable to this mixture.

TLV (Threshold Limit Value established by ACGIH): Not applicable to this mixture.

MAK (German Maximum Workplace Concentration): Not applicable to this mixture.

NOISH-Ca (National Institute for Occupational

Safety & Health): Not applicable to this mixture.

OSHA-Ca (Occupational Safety &

Health Administration): Not applicable to this mixture

International Regulations

Canadian WHMIS:

This product is a controlled product under Canada's workplace hazardous materials information system.

It contains the following toxic or highly toxic materials: Aluminum Oxide

Ferric Oxide Mica

Propylene Glycol

This product contains the following chemical(s)

Aluminum Oxide listed under New Jersey's Right to Know Program:

Pigment Red 101

This product contains the following chemical(s) requiring notification to the state of Washington

under their Children's Safe Products Act: None

Page 5 of 9 **Auto Air Colors** 



Under CPSC's consumer product regulations (16CFR1500.3 and 150014), this product has the following required acute and chronic hazard labeling: None

# **SECTION XVI – OTHER INFORMATION**

# **COLOR INFORMATION**

Product Color	sku	Hazardous Ingredient
4101 Aluminum Base (Fine)		(None)
4102 Aluminum Base (Medium)		(None)
4103 Aluminum Base (Coarse)		(None)
,		(*******)
4001 Sealer White		(None)
4002 Sealer Dark		(None)
4004 Transparent Base		(None)
·		, ,
4201 Semi-Opaque Brite White		(None)
4202 Semi-Opaque Lemon Yellow		(None)
4203 Semi-Opaque Flame Yellow		(None)
4204 Semi-Opaque Chrome Yellow		(None)
4205 Semi-Opaque Flame Orange		(None)
4206 Semi-Opaque Flame Red		(None)
4207 Semi-Opaque Deep Red		(None)
4208 Semi-Opaque Emerald Green		(None)
4209 Semi-Opaque Dark Green		(None)
4210 Semi-Opaque Aqua		(None)
4211 Semi-Opaque Caribbean Blue		(None)
4212 Semi-Opaque Brite Blue		(None)
4213 Semi-Opaque Process Blue		(None)
4214 Semi-Opaque Midnight Blue		(None)
4215 Semi-Opaque Fuchsia		(None)
4216 Semi-Opaque Deep Purple		(None)
4217 Semi-Opaque Light Brown		(None)
4218 Semi-Opaque Dark Brown		(None)
4219 Semi-Opaque Medium Gray		(None)
4220 Semi-Opaque Deep Black		(None)
4221 Semi-Opaque Cream		(None)
4230 Transparent White		(None)
4231 Transparent Yellow		(None)
4232 Transparent Sun Gold		(None)
4233 Transparent Orange		(None)
4234 Transparent Fire Red		(None)
4235 Transparent Traffic Red		(None)
4236 Transparent Cherry Red		(None)
4237 Transparent Apple Green		(None)
4238 Transparent Brite Green		(None)
4241 Transparent Blue		(None)
4242 Transparent Marine Blue		(None)
4245 Transparent Magenta		(None)
4246 Transparent Red Violet		(None)
4247 Transparent Purple		(None)
4248 Transparent Root Beer		(None)
4249 Transparent Black		(None)
4250 Transparent Beige		(None)
4251 Transparent Tan		(None)
4253 Transparent Red Oxide		(None)
4255 Transparent Cobalt Blue		(None)

Page 6 of 9 Auto Air Colors



	10/22/10	
Product Color	SKU	Hazardous Ingredient
4256 Transparent Smoke Black 4257 Transparent Jet Black		(None) (None)
4260 Fluorescent Hot Pink 4261 Fluorescent Hot Yellow 4262 Fluorescent Hot Green 4263 Fluorescent Hot Orange 4264 Fluorescent Hot Berry 4265 Fluorescent Hot Red 4266 Fluorescent Hot Purple 4267 Fluorescent Hot Sunburst		(None) (None) (None) (None) (None) (None) (None) (None) (None)
4302 Pearl Silver 4303 Pearl Gold 4304 Pearl Lime Green 4305 Pearl Green 4306 Pearl Teal 4308 Pearl Blue 4309 Pearl Red 4310 Pearl Magenta 4311 Pearl Plum 4312 Pearl Purple 4314 Pearl Black		(None)
4315 Pearl Orange 4316 Pearl Radiant Red		(None) (None)
4330 Metallic White (Fine) 4331 Metallic White (Coarse) 4332 Metallic Silver 4333 Metallic Gold 4334 Metallic Bronze 4335 Metallic Copper 4337 Metallic Blue Silver 4338 Metallic Burnt Orange 4340 Metallic Midnight Blue 4341 Metallic Fastback Green 4342 Metallic Elegance 4343 Metallic Platinum 4344 Metallic Charcoal-Viola 4345 Metallic Light Brown 4346 Metallic Light Brown 4347 Metallic Dark Brown 4348 Metallic Rose 4349 Metallic Actress Gold 4350 Iridescent Brite Yellow 4351 Iridescent Apple Red		(None)
4353 Iridescent Apple Red 4355 Iridescent Brite Blue 4356 Iridescent Electric Blue 4358 Iridescent Purple		(None) (None) (None) (None)
4401 Gem Sapphire 4404 Gem Ruby		(None) (None)
4410 Flair Tint Bronze 4411 Flair Tint Violet 4412 Flair Teal / Purple 4413 Flair Blue Copper 4446 Flair Silver Spectrum		(None) (None) (None) (None)

Page **7** of **9** 



Product Color	SKU	Hazardous Ingredient
4420 Hi-Lite Gold		(None)
4421 Hi-Lite Orange		(None)
4422 Hi-Lite Red		(None)
4423 Hi-Lite Green		(None)
4424 Hi-Lite Blue		(None)
4425 Hi-Lite Purple		(None)
1120 Till Elle T diple		(116116)
4501 Hot Rod Sparkle White		(None)
4502 Hot Rod Sparkle Spectrum		(None)
4503 Hot Rod Sparkle Gold		(None)
4504 Hot Rod Sparkle Blue		(None)
4505 Hot Rod Sparkle Green		(None)
4506 Hot Rod Sparkle Red		(None)
4507 Hot Rod Sparkle Purple		(None)
4520 Cosmic Sparkle Silver		(None)
4521 Cosmic Sparkle Gold		(None)
4522 Cosmic Sparkle Red		(None)
4523 Cosmic Sparkle Copper		(None)
4524 Cosmic Sparkle Blue		(None)
4525 Cosmic Sparkle Green		(None)
4526 Cosmic Sparkle Autumn Red		(None)
4530 Sparklescent Mango II		(None)
4531 Sparklescent Electric Green II		(None)
4532 Sparklescent Tequila Yellow II		(None)
4533 Sparklescent Toxic Green II		(None)
4534 Sparklescent Porn Star Pink II		(None)
4535 Sparklescent Rock Star Red II		(None)
4536 Sparklescent Real Teal II		(None)
4537 Sparklescent Nightmare Blue II		(None)
4538 Sparklescent Fine Wine II		(None)
4539 Sparklescent Blizzard Blue II		(None)
4590 Sparklescent Bada Bling Silver		(None)
4592 Sparklescent Radberry		(None)
4593 Sparklescent Sungold Orange		(None)
4594 Sparklescent Lilac		(None)
4601 Candy Pigment Yellow		(None)
4602 Candy Pigment Sunset		(None)
4603 Candy Pigment Orange		(None)
4605 Candy Pigment Apple Red		(None)
4606 Candy Pigment Black Cherry		(None)
4607 Candy Pigment Brite Blue		(None)
4608 Candy Pigment Teal Blue		(None)
4609 Candy Pigment Emerald Green		(None)
4610 Candy Pigment Deep Green		(None)
4611 Candy Pigment Magenta 4612 Candy Pigment Purple		(None) (None)
4613 Candy Pigment Purple 4613 Candy Pigment Racing Blue		(None)
4614 Candy Pigment Racing Blue 4614 Candy Pigment Root Beer		(None)
4615 Candy Pigment Black		(None)
4616 Candy Pigment Brandy		(None)
4617 Candy Pigment Old Gold		(None)
4618 Candy Pigment Racing Green		(None)
4619 Candy Pigment Black Magenta		(None)
1010 Canay Figure III Diack Magerila		(140110)

Page 8 of 9 Auto Air Colors



Original Date: 10/22/15 Last Revision Date:

Reason for Issue: Updated formula information

Prepared by: Rudolph J. Jaeger, Ph.D., DABT, ERT (UK)
Chief Toxicologist and President

ENVIRONMENTAL MEDICINE, INC. 263 CENTER AVENUE WESTWOOD, NJ 07675 jaegerr@envmed.com 201-666-7929 x13

The information contained in this Safety Data Sheet was compiled using the latest and most reliable information available to Color Craft Ltd./ Createx Color. The information is provided without any warranty, express or implied regarding its correctness or accuracy nor will Color Craft Ltd./ Createx Color. assume any liability for any loss or damage arising out of the use of this information including without limitation direct or indirect losses or expenses. To the extent permitted by law, no warranty express or implied regarding the product described herein shall be created by or inferred from any state or omission for this SDS. It is solely the responsibility of the user to determine safe conditions for use of this product and to assume liability for any loss, damage or expense whatsoever arising out of the product's improper use.

#### **Brand Names**

This SDS applies to the following brand names: Auto Air Colors

Page **9** of **9**