

Page 1 of 7

WICKED COLORS - Aluminum/Metallic

1. Identification of the Preparation and of The Company

1.1 Product Name and/or code: Wicked Colors - Aluminum/Metallic Colors

Effective Date: 7/17/2023

1.2 Manufacturer: Color Craft Ltd / Createx Colors

14 Airport Park Road, PO Box 120

East Granby, CT 06026

Information Contact: 860-563-5505 **1.3** Emergency Contact: 800-255-3924

813-248-0573

Emergency Response Service: ChemTel Inc.

1305 North Florida Avenue

Tampa, FL 33602 USA

813-248-0573

www.chemtelinc.com

Contact Number: MIS4120068
Within the United States, Canada, 1-800-255-3924

Puerto Rico, and the U.S. Virgin Islands:

Outside the United States, Canada, +01-813-248-0585

Puerto Rico, and the U.S. Virgin Islands:

China: 400-120-0751
Brazil: 0-800-591-6042
India: 000-800-100-4086
Mexico: 01-800-099-0731

For Health Emergencies: Contact your local Poison Control Center.

1.4 Product Use: Art Material – Consumer Product

2. Hazards Identification

Emergency Overview

CAUTION! CAUSES EYE IRRITATION.

2.1 Classification of the Product:

Label Elements Conforms to ASTM D-4236 (USA)

Hazard Pictograms



GHS07 CAUTION!

Signal Word



Page 2 of 7

WICKED COLORS - Aluminum/Metallic

Hazard Statement May cause respiratory irritation if inhaled. May cause skin irritation.

Precaution Statement: Avoid contact with eyes, skin and clothing. Avoid breathing vapors

or mist. Wash thoroughly after handling. Use with adequate ventilation. Do not eat, drink or smoke when using this product. Avoid release to the environment. For spray application: Ensure fresh air entry during application and drying. If you experience eye watering, headache or dizziness, wear an appropriate, properly

fitted respirator (NIOSH approved).

Follow respirator manufacturer's directions for respirator use.

Children's Statement KEEP OUT OF REACH OF CHILDREN.

2.2 Other hazards

NFPA Health: 1

Health: 2* (If sprayed applied)

Flammability: 0 Reactivity: 0

HMIS Health: 1

Health: 2* (If sprayed applied)

Flammability: 0
Reactivity: 0

3. Composition/Information on Ingredients:

3.1 Substances:

Mixture of the following chemicals: Isopropyl Alcohol CAS #67-63-0 < 2.00%

Surfactants Dispersants (Proprietary mixture) < 1.00%

Ethanol CAS # 64-17-5 < 0.50% Proprietary Pigment (Mixture)

The remainder of the formulation is composed of non-hazardous

ingredients.

4. First Aid Measures

4.1 Description of first aid measures

Inhalation If you experience difficulty in breathing, leave the area to obtain

fresh air, get medical attention immediately.

Skin Contact Wash the affected area thoroughly with plenty of soap and water.

Eye Contact Carefully flush with water for 15 minutes. If irritation occurs,

contact a physician.

Ingestion If swallowed, do not induce vomiting. Contact a physician

immediately.

5. Firefighting Measures



Page 3 of 7

WICKED COLORS - Aluminum/Metallic

5.1 Extinguishing Media Water, foam, carbon dioxide or dry chemical equipment.5.2 Fire/Explosion Hazards This product is not known to present any fire hazard.

5.3 Flashpoint/Flammability Not flammable

6. Accidental Release Measures

6.1 Methods and Materials for Containment and Cleaning up

Contain spill. Recover as much as possible. Absorb remainder with an inert material. Place into closed container and store in a safe location to await disposal. Wash the spill area with soap and water.

7. Handling and Storage

7.1 Safe Handling Use under ventilated conditions. Avoid eye and skin contact. For

personal protection, we recommend that employees wash thoroughly after handling product. Always wash before eating, smoking or using toilet facilities. Keep container closed when not in

use. Keep container upright to prevent leakage.

7.2 Environmental precautions No product should be released to the environment. Keep container

closed when not in use. Keep container upright to prevent leakage.

7.3 Storage Store containers in a cool, dry, well ventilated area.

8. Exposure Controls/Personal Protection

8.1 Personal Protective Equipment Wear goggles where spills or splashing may occur. Wear water

resistant impervious gloves if handling bulk amounts.

8.2 Exposure Limits (USA) Not applicable.

8.3 Respiratory and Ventilation Wear approved NIOSH/MSHA respirator if exposure to mist or

vapor exceed applicable PEL/TLV limits. Use in accordance with manufacturer's use limitations and OSHA STANDARD 1910-34. Local

ventilation may be used to prevent routine inhalation.

Skin Protection Wear water resistant impervious gloves if handling bulk amounts.

Eye Protection Wear goggles where spills or splashing may occur.

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance Liquid
Physical State Liquid
Color Various

Odor Ether-like odor
Boiling Point Not determined
Freezing Point Not determined
State (pH) No data available
Specific Gravity No data available
Viscosity No data available



Page 4 of 7

WICKED COLORS - Aluminum/Metallic

Flashpoint Not Flammable (Determine by analitical testing)

Vapor Pressure Not determined
Vapor Density Not determined
Solubility in water Miscible

10. Stability and Reactivity

10.1 Reactivity No dangerous reaction known under conditions of normal use.

10.2 Chemical Stability Stable under recommended storage conditions.

10.3 Conditions to Avoid Avoid all sources of ignition.

10.4 Incompatible materials Strong oxidizing agents, strong acids, strong bases, amines,

ammonia, halogenated compounds.

10.5 Hazardous Decomposition Carbon monoxide, carbon dioxide.

11. Toxicological Information

11.1 Information on toxicological effects

Health Effects

None known for the usual and ordinary uses of this product.

Acute Toxicity

None known for the usual and ordinary uses of this product.

*Studies have not been performed on this particular mixture. The information below is based on data on the individual ingredients.

Isopropyl alcohol LC50 Inhalation Gas Rat 45248 ppm 1 hour

LD50 Dermal Rabbit 12800 mg/kg

LD50 Oral Rat 5000 mg/kg

Eye Effects Causes eye irritation

Skin Effects May cause skin irritation on sensitive individuals.

Inhalation May cause respiratory irritation.

Sensitization No effects are likely to occur during the foreseeable and reasonable

use of the product.

Ingestion No effects are likely to occur during the foreseeable and reasonable

use of the product.

Chronic Effects No effects are likely to occur during the foreseeable and reasonable

use of the product.

Additional toxicological information: When used and handled according to specifications, the product

does not have any harmful effects according to past experience and

the information provided.

12. Ecological Information

12.1 Toxicity: Not expected to be harmful to the environment. No product should

be released to the environment.

Aquatic toxicity Non-hazardous to water.

12.2 Persistence and degradability Not persistent. Biodegradable. *Not relevant to this mixture.*

12.3 Bio accumulative potential Does not occur. *Not relevant to this mixture.*

12.4 Mobility in soil Mixture is similar to water. *Not relevant to this mixture.*



Page 5 of 7

WICKED COLORS - Aluminum/Metallic

12.5 Additional ecological information As a general rule, no product should be released to the environment.

13. Disposal Considerations

13.1 Dispose of all waste material in accordance with all applicable federal, state and local regulations for the disposal of aqueous polymer wastes.

14. Transport Information

14.1 The following transportation categories do not apply to this mixture sold as a consumer use product (non-bulk).

DOT This regulation does not apply to the non-bulk material. **IMDG** This regulation does not apply to the non-bulk material. ICAO/IATA This regulation does not apply to the non-bulk material.

14.2 This information is not intended to convey all specific regulatory or operational requirements/information relating to this product. It is the responsibility of the transporting organization to follow all applicable laws, regulations and rules relating to the transportation of the materials.

15. Regulatory Information

Not applicable to this mixture.

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture.

SARA Not applicable to this mixture.

Section 355 (extremely hazardous

substances)

Section 313 (specific toxic chemical

listing)

Not applicable to this mixture.

TSCA (Toxic Substance Control Act) All ingredients are listed.

California Proposition 65

MARNING: This product can expose you to Traces of silica which are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

WARNING: This product can expose you to trace heavy metals which are known to the State of California to cause cancer, and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Carcinogenicity categories Not applicable to this mixture. EPA (Environmental Protection Agency) Not applicable to this mixture.

by ACGIH)

TLV (Threshold Limit Value established Not applicable to this mixture. Refer to section 8 for further information on individual substances of this mixture.

NIOSH (National Institute for Occupational Safety & Health) Not applicable to this mixture.



Page 6 of 7

WICKED COLORS - Aluminum/Metallic

OSHA (Occupational Safety & Health

Not applicable to this mixture.

Administration)

16. Other Information

Color List

PRODUCT CODE PRODUCT NAME

W354 Aluminum Medium W355 Aluminum Fine W356 Aluminum Coarse W359 Metallic Charcoal W372 Metallic Rose

W373 Metallic Actress Gold

Prepared by: Chief Toxicologist and President

ENVIRONMENTAL MEDICINE, INC.

778 Carver Avenue WESTWOOD, NJ 07675 jaegerr@envmed.com 201-666-7929 x13

The information contained in this Safety Data Sheet was compiled using the latest and most reliable information available to the preparer from the manufacturer. The information is provided without any warranty, express or implied regarding its correctness or accuracy nor will the manufacturer assume any liability for any loss or damage arising out of the use of this information including without limitation direct or indirect losses or expenses. To the extent permitted by law, no warranty expressed or implied regarding the product described herein shall be created by or inferred from any state or omission for this SDS. It is solely the responsibility of the user to determine safe conditions for use of this product and to assume liability for any loss, damage or expense whatsoever arising out of the product's improper use.

Abbreviations and acronyms: NFPA (SCALE 0-4) National Fire

Protection Association (USA)

Health: 1 - Caution. May be irritating.

2 - Warning. May be harmful if inhaled or absorbed. *

Fire: 0 - Not combustible.

Reactivity: 0 - Stable. Not reactive when mixed with water.

HMIS (SCALE 0-4) Hazardous

Materials Identification System (USA)

Health: 1 - Slight hazard: Irritation or minor reversible injury possible.

2 - Moderate hazard: Temporary or minor injury may occur.*

Fire: 0 - Minimal hazard: Materials that will not burn.



Page 7 of 7

WICKED COLORS - Aluminum/Metallic

Physical Hazard:

0 - Minimal hazard: This material is normally stable, even under fire conditions and will not react with water, polymerize, decompose, condense, or self-react. Non-Explosives.

Exposure Limits

TWA - Time Weighted Average (8 hr.) STEL - Short Time Exposure Limit (15 min.)

REL - Recommended Exposure Limit
PEL - Permissible Exposure Limit
IDLH - Immediately Dangerous to Life
or Health